Pediatric Symptom Checklist-17 (PSC-17)

| Caregiver Completing this Form: | | | Date: | | | | <u>-</u> | |
|---------------------------------|---|---|----------------|-------|-----|--------------------|-----------------------------|--|
| Na | me of Child: | Please mark under the heading that best fits your child | | | | E > () = 92 (34 g) | | |
| | | NEVER | SOME- TIMES | OFTEN | ; | 46 | 20 Mars 2 Mars 2 Mars | |
| 1. | Fidgety, unable to sit still | | | | | | | |
| 2. | Feels sad, unhappy | | | | | | | |
| 3. | Daydreams too much | | | | | | | |
| 4. | Refuses to share | | | | | | | |
| 5. | Does not understand other people's feelings | | | | | | | |
| 6. | Feels hopeless | | | | | | | |
| 7. | Has trouble concentrating | | | | | | | |
| 8. | Fights with other children | | | | | | | |
| 9. | Is down on him or herself | | | | | | | |
| 10. | Blames others for his or her troubles | | | | 100 | | | |
| 11. | Seems to be having less fun | | | | | | | |
| 12. | Does not listen to rules | | | | | | | |
| 13. | Acts as if driven by a motor | | | | | | | |
| 14. | Teases others | | | | | | | |
| 15. | Worries a lot | | | | | | | |
| 16. | Takes things that do not belong to him or her | | | | | | | |
| 17. | Distracted easily | | | | | | | |

Scoring:

- Fill in unshaded box on right with: "Never" = 0, "Sometimes" = 1, "Often" = 2
- Sum the columns.
 PSC17 Internalizing score is sum of column I
 PSC17 Attention score is sum of column A
 PSC17 Externalizing score is sum of column E
 PSC-17 Total Score is sum of I, A, and E columns

Suggested Screen Cutoff:

PSC-17 - I ≥ 5 PSC-17 - A ≥ 7 PSC-17 - E ≥7 Total Score ≥ 15

Higher Scores can indicate an increased likelihood of a behavioral health disorder being present.

(scoring totals)

| | | | \ |
|--|--|--|---|
| | | | 2 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



PEDIATRIC TB RISK ASSESSMENT FORM

| Physician/ Health Provider: Phon | e: | Date: set of gradient works |
|---|-----------------|--|
| Child's Name: | | Date of Birth :/ |
| Address: City: | | State: County: |
| Sex: ☐ Male ☐ Female Hispanic: ☐ No ☐ Yes Race: ☐ White | □Black □Asian I | ⊐Am. Indian/Nat. Alaskan □ Other |
| US Born: ☐Yes ☐ No If no, US Date of Arrival:/ | / Count | ry of Birth: |
| Parent/Guardian: | | Phone: |
| | | |
| TB RISK FACTORS: | | |
| 1. Does the child have any symptoms of TB (cough, fever, night sweats, loss of appetite, weight loss or fatigue) or an abnormal chest X-ray? | □Yes □No | If yes, name of symptoms: |
| 2. In the last 2 years, has the child lived with or spent time with someone who has been sick with TB? | □Yes □No |) |
| 3. Was the child born in Africa, Asia, Pacific Islands (except Japan), Central America, South America, Mexico, Eastern Europe, The Caribbean or the Middle East? | □Yes □No | If yes, in what country was the child born: |
| 4. Has the child lived or traveled in Africa, Asia, Pacific Islands (except Japan), Central America, South America, Mexico, Eastern Europe, The Caribbean or the Middle East for more than one month? | □Yes □No | If yes, in what country did the child travel to: |
| 5. Have any members of the child's household come to the United States from another country? | □Yes □No | If yes, name of country: |
| 6. Is the child exposed to a person who: Is currently in jail or who has been in jail in the past 5 years? Has HIV? Is homeless? Lives in a group home? Uses illegal drugs? Is a migrant farm worker? | □Yes □No | If yes, name the risk factors the child is exposed to: |
| 7. Is the child/teen in jail or ever been in jail? | □Yes □No | If yes, name of jail: |
| 8. Does the child have any history of immunosuppressive disease or take medications that might cause immunosuppression? | □Yes □No | If yes, name of disease or medications: |

If yes, to any of the above, the child has an increased risk of TB infection and should have a TST/IGRA.

All children with a positive TST/IGRA result must have a medical evaluation, including a chest X-ray. Treatment for latent TB infection should be initiated if the chest X-ray is normal and there are no signs of active TB. If testing was done, please attach or enter results on next page.

| MEDICAL INFORMATION: | | | | | |
|---|---|--|--|--|--|
| Primary Reason for Evaluation: Contact Investigation | | | | | |
| ☐ Other: | <i>'</i> | | | | |
| | | | | | |
| Symptomatic: No Yes If Yes, ONSET date: | | | | | |
| Symptoms: ☐ Cough ☐ Hemoptysis ☐ Fever ☐ Other: | ☐ Night Sweats ☐ Weight Loss oflbs. | | | | |
| Tuberculin Skin Test (TST/Mantoux/PPD) | Induration: mm | | | | |
| Date Given:/ | Impression: ☐ Negative ☐ Positive | | | | |
| Interferon Gamma Release Assay (IGRA) | Impression: Negative Positive Indeterminate | | | | |
| Date:/ | | | | | |
| Chest X-ray (required with positive TST or IGRA) | Impression: Normal Abnormal findings | | | | |
| Date:/ | | | | | |
| ☐ LTBI treatment (Rx and start date): | ☐ Prior TB/LTBI treatment (Rx and duration): | | | | |
| Rx: | Rx:mm | | | | |
| ☐ Contraindications to INH or rifampin for LTBI | ☐ Offered but refused LTBI treatment | | | | |
| ADDITIONAL COMMENTS: | | | | | |
| RECOMMENDATIONS: | | | | | |
| Health Provider Signature: | Date Completed:/ | | | | |